

Marlborough Theatre Tech Spec

September 2017

Dimming

24 ways of dimming from 4x Zero88 Betapack 3

- Channels 1-18 located at FOH - 15a plug outputs
- Channels 19-24 located in upstage left wing - 16a plug outputs, with 15a adapters

Lighting grid made up of 4x 6 way IWB's, each with additional 5pin DMX out and 13amp (non-dim) power.

Lantern Stock

(all lights fitted with 15a plugs)

- 4x 575w Source 4 Zoom 15-30
- 1x 650w Selecon Acclaim Profile
- 4x ADB Zoom 59 Profiles
- 4x 500w short nosed Parcans
- 2 x 500w floodlights
- 4x 650w Strand Quartet 25
- 4x 650w CCT Minuette Fresnel
- 7x 650w Selecon Acclaim Fresnel
- 4x Showtec LED Par (RGBD)

Additional extras

4x 2 way 15amp Grelcos

12x various lengths of 15amp TRS

6x low level floor stands

Barn doors and gel frames

Assorted gel offcuts (Please note it's advised for companies to provide their own gels if specific colours are required)

Lighting Control

- Zero88 Jester ML24

[Manual and Quick Start Guide](#) (if you are unfamiliar with this desk we recommend you look at these before your visit).

PA

2x RCF Acustica C3110 speakers

Mackie Running Man ProFX16 Mixer (10x mic input, 4x stereo line input, 2x aux out, onboard fx)

1x Mackie Running Man Active Monitor

2x Alto Active Monitors (Stands available)

CD Player

Mini Jack (iPod) cable

16/4 stagebox from FOH to DSL

Additional Sound kit

2x Shure SM58 with clips

1x Shure PG48 with clip

2x DI box (Passive)

5x mic stands

Various lengths of XLR and Jack cable

Yamaha MG10/2 mini mixer

Projection

Epson EB-U32 - 200w Projector (1920 x 1200)

HDMI & VGA cables run to FOH, can be run to stage on request

Thunderbolt to VGA/HDMI/DVI adapter

Extras

6x 12.5kg stage weights

2x removable 1.5m flats

Removable stairs onto stage (2ft)

2x 2ft black wooden cubes

Various length 13amp power extension cables

For any queries please get in touch via info@marlboroughtheatre.co.uk

THE MARLBOROUGH THEATRE

Stage Plan 2017

